

Official
Safety Data Sheet
(SDS)

This SDS version supersedes
all previous MSDS for the
specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 1 of 8

HAZARDOUS CHEMICAL, NON-DANGEROUS GOODS

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **CHLORMATIC DISH POWDER**

Synonyms

CHLORMATIC - DISH POWDER 1KG
CHLORMATIC - DISH POWDER 5KG
CHLORMATIC - DISH POWDER 10KG
CHLORMATIC - DISH POWDER 20KG

Product Code

WC330-1
WC330-5
WC330-10
WC330-20

Description:

CHLORMATIC is suitable for all types of commercial and household dishwashers in both soft and hard water. This premium grade product is especially suitable for use in hard water areas, where scale and stain control are of utmost importance.

Product AS SOLD

*Product AS SOLD is classified as hazardous according to GHS and/or Safe Work Australia because of risk to EYES/SKIN. Contact with EYES/SKIN is not considered as being applicable to normal use of the product. Avoid direct sprays or contact with EYES or SKIN as it can cause **SERIOUS EYE IRRITATION** or causes **SKIN IRRITATION**. Avoid inhale **DUST** as it may cause **RESPIRATORY IRRITATION**.*

Recommended use:

CHLORMATIC is specifically designed for machine dishwashing and effective stain control in all machine cleaning operations involving dinnerware, glassware, silver and stainless-steel cutlery. It is preferable not to mix silver, stainless steel and aluminium in one wash operation, as soft metals could be attached by electrolytic action caused by dissimilar metals in solution. Do not allow prolonged contact with aluminium and other soft metals if pitting and discolouration are to be avoided. Concentration is varied according to water conditions, temperature and type of machine, but normally 1-2 grams per Litre of water in the wash tank is sufficient at wash temperature 60-70°C. Wash solution can be prepared, manually, by filling the dishwasher with fresh water and adding the required amount of **CHLORMATIC**. Mix the product into solution completely by running the machine.

Supplier: Able Westchem
ABN: 009 353 182
Street Address: 273 Collier Road
Bayswater, WA 6053
Australia
Telephone: +61 8 9471 9111
Facsimile: +61 8 9272 6740

Emergency Telephone number: +61 8 9471 9111 (8.00am-4.30pm: Mon-Fri, AWST)

2. HAZARDS IDENTIFICATION

This material is hazardous according to health criteria of Safe Work Australia.

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes all previous MSDS for the specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 2 of 8



Signal Word
Warning

Hazard Classifications

Skin Corrosion/Irritation - Category 2
Serious Eye Damage/Irritation - Category 2A
Specific Target Organ Toxicity (Single Exposure) - Category 3 Respiratory Tract Irritation

Hazard Statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Prevention Precautionary Statements

P102 Keep out of reach of children.
P103 Read label before use.
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
P264 Wash hands, face and all exposed skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective clothing, gloves, eye/face protection and suitable respirator.

Response Precautionary Statements

P101 If medical advice is needed, have product container or label at hand.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment (see Always refer to the product label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Storage Precautionary Statements

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Poison Schedule: S5. Caution

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



Official
Safety Data Sheet
(SDS)

This SDS version supersedes
all previous MSDS for the
specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 3 of 8

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Ethylene diamine tetra acetic acid tetra sodium salt	64-02-8	1-10 % (w/w)
Sodium metasilicate pentahydrate	10213-79-3	1-10 % (w/w)
Ingredients determined to be Non-Hazardous		Balance

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for 15 minutes and transport to Doctor or Hospital.

Eye contact: If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Firefighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes all previous MSDS for the specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 4 of 8

ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods – Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Store locked up. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

This material is a Scheduled Poison Schedule 5 (Caution) and must be stored, maintained and used in accordance with the relevant regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

National occupational exposure limits: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment:

Special Notice:

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

The selection of PPE is dependent on a full risk assessment. The risk assessment should consider the work situation, physical form of chemical, handling volume and methods, environmental factors/ application area.

If the outcome of risk assessment is considerably low, still manufacturer recommends to use minimum PPE stipulated by the chemical industry practices. Ex: Suitable protective clothing such as long sleeve cloths with buttoned at neck and wrist and Suitable dust mask, Safety Glasses, Impervious Gloves

PROTECTIVE CLOTHES, GLOVES, SAFETY GLASSES, DUST MASK



Available information suggests that gloves made from natural rubber, nitrile rubbers should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke.

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes all previous MSDS for the specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 5 of 8

Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units:	Kilogram
Form:	Crystalline Powder
Colour:	Pink, free-flowing powder
Odour:	Slight chlorine odour
Solubility in water:	Soluble
Specific Gravity (20 °C):	1.03 - 1.07
Vapour Pressure (20 °C):	Not applicable
Flash Point (°C):	Not applicable
pH:	11.0 - 12.0 (1% w/w solution)

(Typical values only - consult specification sheet)
N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material is an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin will result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: An eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients):

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes all previous MSDS for the specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 6 of 8

>2,000 mg/Kg

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Corrosion/Irritancy: Eye: this material has been classified as a Category 2A Hazard (reversible effects to eyes). Skin: this material has been classified as a Category 2 Hazard (reversible effects to skin).

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as a Category 3 Hazard. Exposure via inhalation may result in respiratory irritation.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bio accumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes all previous MSDS for the specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 7 of 8

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

- The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth).
- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Reasons for issue: Formulation changes

Able Rating: Amber - Alkali

DISCLAIMER:

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.

Able Westchem MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Able Westchem product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Able Westchem product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Able Westchem product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. For this reason, Able Westchem always recommends a user perform a test patch or trial in small scale or in an inconspicuous area prior to full application to limit possible damage. Testing before beginning any project is also the best way to ensure product effectiveness.

Able Westchem provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Able Westchem

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes
all previous MSDS for the
specified product.



Product: WC330
Issue Date: 2019 MAY
Issued by: PRS
Version: 1.50
Page: 8 of 8

makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Able Westchem.

NO UNAUTHORISED COPIES PERMITTED – DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD



PROUDLY AUSTRALIAN OWNED & MANUFACTURED BY ABLE WESTCHEM
ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053
Tel: (08) 9471 9111 Fax: (08) 9272 6740 Email: info@westchem.com.au
Web1: www.westchem.com.au Web2: www.envirocareearth.com.au

