This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 1 of 7

NON-HAZARDOUS CHEMICAL, NON-DANGEROUS GOODS

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: FRESH TALC

SynonymsProduct CodeFRESH TALC - AIR FRESH 8 X 750MLSC100-750FRESH TALC - AIR FRESH 5LTSC100-5FRESH TALC - AIR FRESH 20LTSC100-20FRESH TALC- AIR FRESH 205LTSC100-205

Recommended use:

Product description: FRESH TALC – Air freshener & Sanitizer is a pleasant long lasting floral perfume used to oust odours and germs. **FRESH TALC** doesn't just mask odours but it also kills up to 99.9% of the bacteria & germs at the source. This product will sanitise a surface but not the air.

Application recommendations: FRESH TALC is ideal for use in hotel and motel rooms, offices, toilets and showers, vehicle interiors and other areas where unpleasant odours are a problem. Try **ODOUREX** or **TERMINATE** for control of industrial odour problem like those encountered abattoirs or processing plants, or **MARAZYME** in grease traps, sewerage treatment plants or sceptics.

Application dilution recommendations: FRESH TALC is normally used undiluted via a trigger spray. Aim into the air around the problem area or at the source of the odour. Do not use **FRESH TALC** on food contact surfaces or on animals. Able Westchem can supply trigger sprays, bottles and labels.

BENEFITS & TIPS

☑ ALL PURPOSE

READY TO USE

☑ EFFICIENT

✓ MOVES MULTI SOILS

✓ NON-CAUSTICS

☑ NO CHLORINES

☑ NO PHOSPHATES

☑ NATURALLY DERIVED INGRDIENTS

☑ READILY BIODEGRADABLE

☑ NO HARSH PETROCHEMICAL SOLVANTS OR FUMES

Supplier: Able Westchem
ABN: 009 353 182
Street Address: 273 Collier Road

Bayswater, WA 6053

Australia

Telephone: +61 8 9471 9111 Facsimile: +61 8 9272 6740

Emergency Telephone number: +61 8 9471 9111 (8.00am-4.30pm: Mon-Fri, AWST)







This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 2 of 7

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY CAS NO PROPORTION

Alcohols, C12-14, ethoxylated Ingredients determined to be Non-Hazardous

68439-50-9

1-10 % (w/w) Balance

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination, it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Firefighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.







This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 3 of 7

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Take necessary precautions to prevent skin and eye contamination. Avoid inhalation of vapour. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Slippery when spilt. Avoid accidents, clean up immediately. Take necessary precautions to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

National occupational exposure limits: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment:

Special Note:

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

The selection of PPE is dependent on a full risk assessment. The risk assessment should consider the work situation, physical form of chemical, handling volume and methods, environmental factors/ application area. Avoid contact with eyes as it may cause eye irritation.

If the outcome of risk assessment is considerably low, still manufacturer recommends to use minimum PPE stipulated by the chemical industry practices. Ex: Impervious Gloves

GLOVES, SAFETY GLASSES.



Available information suggests that gloves made from natural rubber, nitrile rubber should be suitable for intermittent

NO UNAUTHORISED COPIES PERMITTED - DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD





This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 4 of 7

contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units:LitresForm:Clear LiquidColour:Clear, light blueOdour:Floral fragranceSolubility in water:Completely solubleSpecific Gravity (20 °C):0.98 - 1.02

Vapour Pressure (20 °C):

Flash Point (°C):

Not determined

Not applicable

Boiling Point/Range (°C): 100°C pH: 5.5 - 6.5

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.







This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 5 of 7

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >20 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bio accumulative potential: No information available.

Mobility: No information available.







This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 6 of 7

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

 All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Reasons for issue: Periodic review and update of SDS

Issue date: 13/01/2023 Version: 1.80 Able Rating: Green

DISCLAIMER:

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. This product was classified according to Globally Harmonised System of Classification and Labelling of Chemicals (GHS) Revision Version 07.

Able Westchem MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR

NO UNAUTHORISED COPIES PERMITTED - DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD





Web1: www.westchem.com.au Web2: www.envirocareearth.com.au

This SDS version supersedes all previous MSDS for the specified product.



 Product:
 SC100

 Issue Date:
 2023 JAN

 Issued by:
 PRS

 Version:
 1.80

 Page:
 7 of 7

COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Able Westchem product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Able Westchem product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Able Westchem product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. For this reason, Able Westchem always recommends a user perform a test patch or trial in small scale or in an inconspicuous area prior to full application to limit possible damage. Testing before beginning any project is also the best way to ensure product effectiveness.

Able Westchem provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Able Westchem makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Able Westchem.



