

RED DIRT

	OF THE MATERIAL AND SUPPLIER		
Product Name	Red Dirt		
Product Code	RedDir		
Product Use	Red Dust Remover		
Company Name	Kleen West Distributor		
Address	Unit 3/ 22 Prestige parade WA 6065		
Emergency Telephone	13 11 26		
Telephone	(08) 9303 2882		
Fax	(08) 9303 2306		
Web	www.kleenwest.com.au		
2. HAZARDS IDENT	IFICATION		
Hazardous Nature	CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS		
Classification of the substance or mixture	Skin Corrosion / Irritation: Category 1B		
Signal Word; Danger			
Hazard Statement(s)	H314 Causes severe skin burns and eye damage.		
	P260 Do not breathe dust, fume, gas, mist, vapours, spray. P264 Wash thoroughly after handling. P280 Wear protective gloves, protective clothing, eye protection, face protection.		
Precautionary Statement(s)	P301+P330+P331 IF SWALLOWED, Rinse mouth, DO NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair) Take off immediately all contaminated clothing, Rinse skin with water/shower. P363 Wash contaminated clothing before re use. P304+P340 IF INHALED Remove person to fresh air and keep comfortable for		
Response	breathing. P310 Immediately call a POISON CENTER or doctor/physician. P321 Specific treatment is advised (see First Aid Measures on Safety Data Sheet). P305+P351+P338 IF IN EYES, Rinse cautiously with water for several minutes, remove contact lenses if present and easy to do, Continue rinsing.		
Storage	P405 Store locked up.		
Disposal	P501 Dispose of contents/container in accordance with local, regional, national and international regulations.		

Ingredient	CAS No.	Proportion
Sulphuric Acid	7664-93-9	<5%
Oxalic Acid	144-62-7	<5%
Trimethyl Hexadecyl Ammonium Chloride	112-02-7	<5%
Ammonium Hydrogen Diflouride	1341-49-7	1.4%

Date of Issue: January 2017 Red Dirt Page 1 of 4



	Ethylene Glycol Monobutyl Eth	ner		11-76-2		<1%
	Sodium Xylene Sulphonate		13	00-72-7		<1%
	Water and other non-hazardou	ıs ingredients		-	to	100%
4. FIRST AID MEASU	JRES					
Inhalation	Remove victim from exposure. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.					
Ingestion	Immediately rinse mouth with copious amounts of water. Do not induce vomiting. Give water to drink. Seek immediate medical attention.					
Skin	Immediately remove contaminated clothing. Flush skin under running water for 15 minutes then apply Calcium Gluconate Gel. Contact poisons information centre 13 11 26					
Eye	If in eyes, hold eyelids apart and irrigate with clean water for at least 15 minutes. Seek immediate medical assistance.					
First Aid Facilities	Eye wash station and safety shower. Calcium gluconate gel should be readily available wherever the product is used or stored.					
Advice to Doctor	Treat symptomatically.					
5. FIRE FIGHTING M	EASURES					
Extinguishing Media	Use extinguishing media appro					
Hazards from Combustion Products	In the event of a major fire, this heated to decomposition. May metals.					
Precautions for Fire Fighters	Wear full protective equipment including self contained breathing apparatus when combating fire. Cool containers with waterfog to prevent intact containers from rupturing.					
6. ACCIDENTAL REL	<u> </u>					
Emergency Procedures Spills & Disposals	Small spills may be diluted with water or neutralised with soda ash or sodium bicarbonate and mopped up. Personnel involved in the clean up of large spills should wear appropriate protective clothing as specified in Section 8. Clean up spills immediately to prevent further accidents. Evacuate all unnecessary personnel. Stop leak if safe to do so. Do not let product enter drains or waterways. Contain and recover liquid where possible. Use material such as earth to contain spill					
	and pack contaminated mater site. Spills can be neutralized					
7. HANDLING AND S	TORAGE					
Storage	Store in original container in a containers closed when not in		lated area	a out of di	rect sunli	ght. Keep
Handling	Wear protective clothing as specified in Section 8 when handling product or there is potential for skin and eye contact. Wash hands and other exposed areas with soap and water immediately after handling and before eating, drinking, smoking or using the toilet.					
	and water immediately after h					
8. EXPOSURE CONT	and water immediately after h	nandling and be				
8. EXPOSURE CONT Exposure Standards	and water immediately after he toilet.	nandling and be				
	and water immediately after he toilet.	nandling and be				
	and water immediately after he toilet.	nandling and be	ore eating		ı, smokin	
	and water immediately after he the toilet. ROL/PERSONAL PROTECT	andling and be	ore eating	g, drinking	, smokin	g or using
	and water immediately after he the toilet. ROL/PERSONAL PROTECT Ingredient	ION Reference	TWA	g, drinking Mg/m ³	s, smokin	g or using
	and water immediately after he the toilet. **ROL/PERSONAL PROTECT** Ingredient** 2-Butoxyethanol (EGBE)	ION Reference SWA (AUS)	TWA ppm 20	g, drinking Mg/m ³ 96.9	STEL ppm 50	Mg/m³ 242
	and water immediately after he the toilet. ROL/PERSONAL PROTECT Ingredient 2-Butoxyethanol (EGBE) Flourides, as F	Reference SWA (AUS) SWA (AUS)	TWA ppm 20 -	mg/m ³ 96.9 2.5	STEL ppm 50	Mg/m³ 242
	and water immediately after he the toilet. **ROL/PERSONAL PROTECT** Ingredient** 2-Butoxyethanol (EGBE)	ION Reference SWA (AUS)	TWA ppm 20	g, drinking Mg/m ³ 96.9	STEL ppm 50	Mg/m³ 242

Date of Issue: January 2017 Red Dirt Page 2 of 4



	Ingredient	Determinant	Sampling Tim	
	Ammonium	Flouride in urine	Prior to shift	2 mg/L
	Hydrogen			
	Diflouride	Flouride in urine	End of shift	3 mg/L
Biological Limits	(Ammonium			
_	Flouride)			
	Ethylene Glycol	Butoxyacetic acid	End of shift	200 mg/g
	Monobutyl Éther	(BAA) in urine		creatinine
	11	(with hydrolysis)		
Engineering controls	Use with good gene		inhalation. W	Where inhalation risk exists,
5 5				tain vapour levels below the
	recommended expos			·
Personal Protective	Eye Protection: Fac		cal goggles (A	S 1336/1337).
Equipment	Glove Type: Imperv			
4				, uantities or where heavy
	contamination is likely	/. wear rubber boots a	and a PVC apr	on.
				line respirator or a Type B
	(inorganic gases and		,	
9. PHYSICAL AND CH	HEMICAL PROPERT	TES		
Appearance	Viscous blue liquid			
Odour	Pungent			
pH (neat)	<1			
Vapour Pressure	Not determined			
Vapour Density	Not determined			
Boiling Point/Range	Not determined			
Freezing/Melting point	Not determined			
Solubility in Water	Soluble			
Specific Gravity	Approximately 1.06			
Flash Point	Not applicable			
10. STABILITY AND F	REACTIVITY			
Chemical Stability	Potential for exothern	nic hazard		
<u> </u>	Alkaline materials, st	rong oxidising agent	s and chlorine	products (pool chemicals).
Materials to Avoid				glass, ceramics, leather and
	neutral rubber.		ogo ao.a,,	giaco, corairinos, idamier aria
Decomposition	May evolve toxic gas	es (Sulphur oxides) w	hen heated to	decomposition.
				Reacts with chlorine products
Hazardous Reactions	Trodoto With antallo W			todoto with officiallo producto
	(pool chemicals) with			
11. TOXICOLOGICAL		evolution of toxic chlo		
11. TOXICOLOGICAL	INFORMATION	evolution of toxic chlo	orine gas.	Inhalation Toxicity (I C50)
Ingredient	Oral toxicity (LD50)		orine gas.	Inhalation Toxicity (LC50)
Ingredient Oxalic Acid	Oral toxicity (LD50) 375 mg/kg (rat)	evolution of toxic chlo	orine gas.	-
Ingredient Oxalic Acid Sulphuric Acid	Oral toxicity (LD50)	Dermal Toxic	orine gas. ity (LD50)	Inhalation Toxicity (LC50) - 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl	Oral toxicity (LD50) 375 mg/kg (rat)	Dermal Toxic	orine gas. ity (LD50)	-
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride	Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat)	Dermal Toxic - - 4300 mg/kg (orine gas. ity (LD50)	- 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen	Oral toxicity (LD50) 375 mg/kg (rat)	Dermal Toxic	orine gas. ity (LD50)	-
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium	Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat)	Dermal Toxic - - 4300 mg/kg (orine gas. ity (LD50)	- 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride)	Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats)	Dermal Toxic 4300 mg/kg (i	orine gas. ity (LD50)	- 18 mg/ m³ (guinea pig) -
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol	Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat)	Dermal Toxic 4300 mg/kg (i	orine gas. ity (LD50)	- 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea	Dermal Toxic 4300 mg/kg (i	rabbit)	- 18 mg/ m³ (guinea pig) -
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea) Product is highly acid	Dermal Toxic - 4300 mg/kg (- big) - ic. Corrosive to skin a	rabbit) and eyes.	- 18 mg/ m³ (guinea pig) 2.174 mg/L/4hrs (rat)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether Health Hazard Summary	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea) Product is highly acid Not a likely route of e	Dermal Toxic 4300 mg/kg (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	and eyes. orine gas.	- 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea Product is highly acid Not a likely route of e cause respiratory irrit	Dermal Toxic 4300 mg/kg (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	and eyes. ot volatile). Infarmful corrosive	- 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether Health Hazard Summary	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea Product is highly acid Not a likely route of e cause respiratory irrit the nasal septum, pu	Dermal Toxic Dermal Toxic - 4300 mg/kg (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	and eyes. ot volatile). Informed corrosive	- 18 mg/ m³ (guinea pig)
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether Health Hazard Summary Inhalation	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea) Product is highly acid Not a likely route of e cause respiratory irrit the nasal septum, pu LD50 (oral) = 3000m	Dermal Toxic 4300 mg/kg (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	and eyes. ot volatile). Informeriumonitis and example cause burns to	18 mg/ m³ (guinea pig) 2.174 mg/L/4hrs (rat) nalation of mist or spray may e effects including lesions of emphysema. to the mouth and throat, pain
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether Health Hazard Summary	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea) Product is highly acid Not a likely route of e cause respiratory irrit the nasal septum, pu LD50 (oral) = 3000m in the stomach, diffic	Dermal Toxic Dermal Toxic - 4300 mg/kg (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	and eyes. ot volatile). Informful corrosive umonitis and exea, vomiting,	18 mg/ m³ (guinea pig) 2.174 mg/L/4hrs (rat) alation of mist or spray may e effects including lesions of emphysema. the mouth and throat, pain diarrhoea, and convulsions.
Ingredient Oxalic Acid Sulphuric Acid Trimethyl Hexadecyl Ammonium Chloride Ammonium Hydrogen Diflouride (Ammonium Flouride) Ethylene Glycol Monobutyl Ether Health Hazard Summary Inhalation	INFORMATION Oral toxicity (LD50) 375 mg/kg (rat) 2140 mg/kg (rat) - 130mg/kg (rats) 1414 mg/kg (guinea) Product is highly acid Not a likely route of e cause respiratory irrit the nasal septum, pu LD50 (oral) = 3000m in the stomach, diffic If swallowed in large	Dermal Toxic Dermal Toxic - 4300 mg/kg (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	and eyes. ot volatile). Informed cause burns to sea, vomiting, sophageal per	18 mg/ m³ (guinea pig) 2.174 mg/L/4hrs (rat) alation of mist or spray may e effects including lesions of emphysema. the mouth and throat, pain diarrhoea, and convulsions.

Date of Issue: January 2017 Red Dirt

Page 3 of 4



	chemical burns with resultants tissue destruction.		
Eye	Corrosive to eyes. Mists may cause severe eye irritation. Concentrated solution can		
	cause severe burns, pain and permanent eye damage.		
12. ECOLOGICAL INFORMATION			
Ecotoxicity	Sulphuric acid is harmful to aquatic life in very low concentrations. May cause		
	corrosion and deterioration of many common materials found in the environment.		
Persistence and	No data available.		
Degradability			
Mobility	Soluble in water and will partition into the aqueous phase. The product will be mobile in soil until degraded.		
13. DISPOSAL CONSIDERATIONS			
Waste Disposal	Collect for complete neutralization and appropriate disposal. Wearing the protective equipment detailed above, neutralize to PH 6 – 8 by Slow addition to a saturated		
	sodium bicarbonate solution or similar basic solution. Dilute with excess water and		
	flush to drain. Waste disposal should only be undertaken in a well ventilated area.		
Legislation	Dispose of in accordance with applicable local and national regulations. Contact a		
	specialist waste company or local regulator for advice.		
	· · · · · · · · · · · · · · · · · · ·		

14. TRANSPORT INFORMATION

Classified as a Dangerous Good according to the criteria of the ADG Code



U.N. Number	1760
Proper Shipping Name	CORROSIVE LIQUID, TOXIC, N.O.S.
Class and Subsidiary	Corrosive 8
Risk(s)	Corrosive o
Packing Group	
Special Precautions	Hazchem Code 2X, EMS F-A, S-B
Hazchem Code	2X

15. REGULATORY INFORMATION

Poisons Schedule	Schedule 6 (SUSMP)
AICS	All ingredients are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Contact Point	Anthony Benich
Title	Technical Manager
Telephone	08 9303 2882
After Hours	0432 620 423

The information contained in this Material Safety Data Sheet is believed to be accurate and reliable; however, Kleen West Distributors shall not be liable for any inaccuracy in the information or for any loss, injury or damage whatsoever arising from the use of this product as conditions and methods of use are beyond our control. Users should read this Material Safety Data Sheet and evaluate the information in the context of how the user intends to handle and use the product in the workplace including the use of this product with other products.

End of Report

Date of Issue: January 2017 Red Dirt

Page 4 of 4